

10/807, 868

WEST Search History

DATE: Friday, April 01, 2005

| <u>Hide?</u> | <u>Set Name</u> | <u>Query</u> | <u>Hit Count</u> |
|--|-----------------|---|------------------|
| <i>DB=PGPB,USPT,EPAB; THES=ASSIGNEE; PLUR=YES; OP=OR</i> | | | |
| <input type="checkbox"/> | L1 | cotton | 108411 |
| <input type="checkbox"/> | L2 | (plant adj habit) near5 intermediate | 132 |
| <input type="checkbox"/> | L3 | foliage near5 intermediate | 61 |
| <input type="checkbox"/> | L4 | stem near5 erect | 815 |
| <input type="checkbox"/> | L5 | growth near5 intermediate | 1929 |
| <input type="checkbox"/> | L6 | (leaf adj color) near5 (light adj green) | 51 |
| <input type="checkbox"/> | L7 | pubescence near5 sparse | 212 |
| <input type="checkbox"/> | L8 | nectaries near5 present | 0 |
| <input type="checkbox"/> | L9 | nectaries and present | 9 |
| <input type="checkbox"/> | L10 | (petals or pollen) near5 cream | 313 |
| <input type="checkbox"/> | L11 | (bollworm or leafworm or cutworm or armyworm or bud adj worm) and resistant | 1817 |
| <input type="checkbox"/> | L12 | richard near5 leske.in. | 11 |
| <input type="checkbox"/> | L13 | douglas near5 shoemaker.in. | 6 |
| <input type="checkbox"/> | L14 | L1 and L2 | 11 |
| <input type="checkbox"/> | L15 | L14 and L3 | 7 |
| <input type="checkbox"/> | L16 | L15 and L4 | 2 |
| <input type="checkbox"/> | L17 | L16 and L5 | 1 |
| <input type="checkbox"/> | L18 | L15 and L6 | 2 |
| <input type="checkbox"/> | L19 | L15 and L7 | 5 |
| <input type="checkbox"/> | L20 | L19 and L9 | 0 |
| <input type="checkbox"/> | L21 | (L12 or L13) and L1 | 14 |
| <input type="checkbox"/> | L22 | 435/410,421,427,430,430.1,468.ccls. | 3721 |
| <input type="checkbox"/> | L23 | 800/314.ccls. | 232 |
| <input type="checkbox"/> | L24 | L23 and L22 | 112 |

END OF SEARCH HISTORY

[Generate Collection](#)[Print](#)**Search Results - Record(s) 1 through 1 of 1 returned.**

1. 6008438. 17 Mar 98; 28 Dec 99. Cotton cultivar DP 2379. Keim; Don Lee. 800/314; 435/427 800/260. A01H005/00 A01H004/00 A01H001/00 A01H005/10 A01G007/00.

[Generate Collection](#)[Print](#)

| Terms | Documents |
|------------|-----------|
| L16 and L5 | 1 |

[Prev Page](#) [Next Page](#) [Go to Doc#](#)

10/807,868

FILE 'AGRICOLA' ENTERED AT 14:15:08 ON 01 APR 2005

FILE 'CABA' ENTERED AT 14:15:08 ON 01 APR 2005
COPYRIGHT (C) 2005 CAB INTERNATIONAL (CABI)

FILE 'BIOSIS' ENTERED AT 14:15:08 ON 01 APR 2005
Copyright (c) 2005 The Thomson Corporation

=> s cotton
L1 123183 COTTON

=> s (plant(w)habit)(5a)intermediate
L2 8 (PLANT(W) HABIT)(5A) INTERMEDIATE

=> s foliage(5a)intermediate
L3 49 FOLIAGE(5A) INTERMEDIATE

=> s stem(5a)erect
L4 184 STEM(5A) ERECT

=> s growth(5a)intermediate
L5 1945 GROWTH(5A) INTERMEDIATE

=> s leaf(w)color(5a)light(w)green
L6 5 LEAF(W) COLOR(5A) LIGHT(W) GREEN

=> s pubescence(5a)sparse
L7 23 PUBESCENCE(5A) SPARSE

=> s nectaries(5a)present
L8 38 NECTARIES(5A) PRESENT

=> s (petals or pollen)(5a)cream
L9 42 (PETALS OR POLLEN)(5A) CREAM

=> s (bollworm or leafworm or cutworm or armyworm or bud(w>worm) and resistant
L10 1079 (BOLLWORM OR LEAFWORM OR CUTWORM OR ARMYWORM OR B
AND RESISTANT

=> s leske r/au
L11 2 LESKE R/AU

=> s shoemaker d/au
L12 27 SHOEMAKER D/AU

=> s L1 and L2
L13 0 L1 AND L2

=> s L1 and L3
L14 1 L1 AND L3

=> s L1 and L4
L15 1 L1 AND L4

=> s L1 and L5
L16 19 L1 AND L5

=> s L16 and L6
L17 0 L16 AND L6

=> s L1 and L6
L18 0 L1 AND L6

=> s L16 and L7
L19 0 L16 AND L7

=> s L1 and L7
L20 1 L1 AND L7

=> s L16 and L8

L21 0 L16 AND L8

=> s L1 and L8
L22 1 L1 AND L8

=> s L1 and L9
L23 9 L1 AND L9

=> s L1 and L10
L24 572 L1 AND L10

=> s L24 and L9
L25 0 L24 AND L9

=> s L24 and L8
L26 0 L24 AND L8

=> s L24 and L7
L27 1 L24 AND L7

=> s (L11 or L12) and L1
L28 0 (L11 OR L12) AND L1

L14 ANSWER 1 OF 1 CABA COPYRIGHT 2005 CABI on STN

TI Registration of 'Acala 1517-95' ***cotton***
SO Crop Science, (1995) Vol. 35, No. 4, pp. 1227-1228. 3 ref.
ISSN: 0011-183X

AU Cantrell, R. G.; Roberts, C. L.; Barnes, C. E.

L15 ANSWER 1 OF 1 CABA COPYRIGHT 2005 CABI on STN

TI Cloth from bast fibre of the Calotropis procera (Aak) plant.
SO Biological Wastes, (1988) Vol. 26, No. 3, pp. 229-232. 2 ref.
AU Varshney, A. C.; Bhoi, K. L.

L29 ANSWER 1 OF 16 CABA COPYRIGHT 2005 CABI on STN

TI Cytomorphology of interspecific hybrids between *Gossypium hirsutum* L., its haploid and *Gossypium raimondii*.
SO Indian Journal of Genetics and Plant Breeding, (2003) Vol. 63, No. 4, pp. 319-324. 23 ref. Publisher: Indian Society of Genetics & Plant Breeding.
ISSN: 0019-5200

AU Mehetre, S. S.; Gawande, V. L.; Aher, A. R.; Shinde, G. C.

L29 ANSWER 9 OF 16 CABA COPYRIGHT 2005 CABI on STN

TI Variation in three economically useful traits following use in hybridization of the wild diploid species *Gossypium anomalum* Wawra et Peyr.
SO Sbornik Nauchnykh Trudov po Prikladnoi Botanike, Genetike i Selektsii, (1989) Vol. 125, pp. 106-111. 15 ref.
ISSN: 0202-3628

AU Shakhmedova, G. S.

L20 ANSWER 1 OF 1 CABA COPYRIGHT 2005 CABI on STN

TI Effects of the resistance of nectarless and smooth leaf ***cotton*** on bollworms and its utilization.
SO China Cottons, (1988) No. 3, pp. 46-47.
AU Luo, Y.; Bu, L. Y.; Liu, Z. Z.; Li, Y. J.; Wang, J. Y.

L22 ANSWER 1 OF 1 CABA COPYRIGHT 2005 CABI on STN

TI Variety: 'Rainbow-39'. Application no: 95/160.
SO Plant Varieties Journal, (1996) Vol. 9, No. 3, pp. 24.
ISSN: 1030-9748

AU Ulman, K.; Fursov, V. N.

L23 ANSWER 1 OF 9 CABA COPYRIGHT 2005 CABI on STN
TI Notice of release of 'Tamcot Luxor' ***cotton***
SO 2000 Proceedings Beltwide Cotton Conferences, San Antonio, USA, 4-8
January, 2000: Volume 1, (2000) pp. 581-583. 7 ref. Publisher: National
Cotton Council. Meeting Info.: 2000 Proceedings Beltwide Cotton
Conferences, San Antonio, USA, 4-8 January, 2000: Volume 1.
AU El-Zik, K. M.; Thaxton, P. M.; Dugger, P. [EDITOR]; Richter, D. [EDITOR]

L23 ANSWER 2 OF 9 CABA COPYRIGHT 2005 CABI on STN
TI Registration of 'Tamtot HQ95' ***cotton***
SO Crop Science, (1990) Vol. 30, No. 6, pp. 1359-1360. 4 ref.
ISSN: 0011-183X
AU El-Zik, K. M.; Thaxton, P. M.

L23 ANSWER 5 OF 9 CABA COPYRIGHT 2005 CABI on STN
TI A note on the haploids in interspecific F2 of ***cotton*** (*Gossypium*
L. spp.).
SO Indian Journal of Agricultural Research, (1979) Vol. 13, No. 3, pp.
195-196. 12 ref.
ISSN: 0367-8245
AU Thombre, M. V.; Mehetre, S. S.

L23 ANSWER 7 OF 9 CABA COPYRIGHT 2005 CABI on STN
TI Linkage between blight resistance and yellow pollen color genes in
cotton
SO Journal of Heredity, (1973) Vol. 64, No. 4, pp. 208-212. 14 ref.
ISSN: 0022-1503
AU Tayel, M. A. F.; Bird, L. S.; Smith, J. D.